L Number	Hits	Search Text	DB	Time stamp
1	2	6189102.pn.	USPAT;	2004/08/04 10:30
-	2		EPO; JPO; DERWENT; IBM TDB	
2	1	6189102.pn. and (offer)	USPAT; EPO; JPO; DERWENT;	2004/08/04 10:30
	1231	DHCP	IBM_TDB USPAT; EPO; JPO; DERWENT;	2004/07/24 15:07
_	372	DHCP and (host near3 (address or id or identifier))	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM TDB	2004/07/24 15:12
-	140	(DHCP and (host near3 (address or id or identifier))) and authentic\$4	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/07/24 15:06
-	50	((DHCP and (host near3 (address or id or identifier))) and authentic\$4) and Lease	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/07/24 15:06
-	4	((DHCP and (host near3 (address or id or identifier))) and authentic\$4) and (renew near5 Lease)	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/07/24 14:53
-	2	issu\$4 same renew\$4 same (host near3 (address or id or identifier))	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/07/24 15:00
-	37	(((DHCP and (host near3 (address or id or identifier))) and authentic\$4) and Lease) and issu\$4 and renew\$4	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/07/24 15:06
-	38	(((DHCP and (host near3 (address or id or identifier))) and authentic\$4) and Lease) and (issu\$4 or assig\$4) and renew\$4	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/07/24 15:02
_	955	DHCP and ((host or IP) near3 (address or id or identifier))	USPAT; EPO; JPO; DERWENT;	2004/07/24 15:24
_	240	(DHCP and ((host or IP) near3 (address or id or identifier))) and authentic\$4	IBM_TDB USPAT; EPO; JPO; DERWENT;	2004/07/24 15:25
-	50	(((DHCP and (host near3 (address or id or identifier))) and authentic\$4) and Lease) and Lease	IBM_TDB USPAT; EPO; JPO; DERWENT;	2004/07/24 15:25
_	37	((((DHCP and (host near3 (address or id or identifier))) and authentic\$4) and Lease) and issu\$4 and renew\$4 ) and issu\$4 and	IBM_TDB USPAT; EPO; JPO; DERWENT;	2004/07/24 15:25
_	59	renew\$4 ((DHCP and ((host or IP) near3 (address or id or identifier))) and authentic\$4) and Lease	IBM_TDB USPAT; EPO; JPO; DERWENT;	2004/07/24 15:06
_	40	(((DHCP and ((host or IP) near3 (address or id or identifier))) and authentic\$4) and Lease) and issu\$4 and renew\$4	IBM_TDB USPAT; EPO; JPO; DERWENT; IBM TDB	2004/07/24 15:06
_	62	DHCP near3 proxy	USPAT; EPO; JPO; DERWENT; IBM TDB	2004/07/24 15:07

_	2	(DHCP near3 proxy) and ((((DHCP and	USPAT;	2004/07/24 15:12
		((host or IP) near3 (address or id or identifier))) and authentic\$4) and Lease)	EPO; JPO; DERWENT;	
		and issu\$4 and renew\$4 ) and ((list or	IBM TDB	
		table or database) with ((host or IP)		
		near3 (address or id or identifier))))	_	
-	2	(proxy near3 (address or id or	USPAT;	2004/07/24 15:13
		<pre>identifier)) with (relay near3 (address or id or identifier))</pre>	EPO; JPO; DERWENT;	
		id or idencifier))	IBM TDB	
_	510	DHCP and ((host or MAC) near3 (address or	USPĀT;	2004/07/24 15:24
		id or identifier))	EPO; JPO;	
			DERWENT;	
	1.67	(DHCP and ((host or MAC) near3 (address or	IBM_TDB USPAT;	2004/07/24 15:25
-	167	id or identifier))) and authentic\$4	EPO; JPO;	2004/01/21 13:23
		la of facilities, , , and additionally ,	DERWENT;	
			IBM_TDB	
	52	((DHCP and ((host or MAC) near3 (address	USPAT;	2004/07/24 15:25
		or id or identifier))) and authentic\$4)	EPO; JPO;	
		and Lease	DERWENT; IBM TDB	
_	38	(((DHCP and ((host or MAC) near3 (address	USPAT;	2004/07/24 15:25
		or id or identifier))) and authentic\$4)	EPO; JPO;	
		and Lease) and issu\$4 and renew\$4	DERWENT;	
		2 ( )	IBM_TDB	2004/07/24 15:29
-	37	<pre>(((((DHCP and ((host or MAC) near3 (address or id or identifier))) and authentic\$4)</pre>	USPAT; EPO; JPO;	2004/07/24 15:29
		and Lease) and issu\$4 and renew\$4 ) and	DERWENT;	
		((list or table or database) with ((host	IBM TDB	
		or IP) near3 (address or id or	_	
		identifier)))		0004/05/04 15 07
-	31	((((DHCP and (host near3 (address or id or	USPAT; EPO; JPO;	2004/07/24 15:27
		identifier))) and authentic\$4) and Lease) and (issu\$4 or assig\$4) and renew\$4) and	DERWENT;	
		((list or table or database) with (host	IBM TDB	
		near3 (address or id or identifier)))	_	
_	37		USPAT;	2004/07/24 15:29
		or id or identifier))) and authentic\$4) and Lease) and issu\$4 and renew\$4 ) and	EPO; JPO; DERWENT;	
		((list or table or database) with ((host	IBM TDB	
		or IP) near3 (address or id or	_	
		identifier)))	, and a	0004/07/04 15 00
		(((((DHCP and ((host or MAC) near3 (address or id or identifier))) and	USPAT; EPO; JPO;	2004/07/24 15:30
		authentic\$4) and Lease) and issu\$4 and	DERWENT;	
		renew\$4 ) and ((list or table or database)	IBM_TDB	
		with ((host or IP) near3 (address or id or	_	
		identifier)))) and ((issu\$4 or assign\$4)		
		near3 (address or id or identifier)) and (renew\$4 near3 (address or id or		
		identifier))		
-	1	(((((DHCP and (host near3 (address or id	USPAT;	2004/07/24 15:30
		or identifier))) and authentic\$4) and	EPO; JPO;	
		Lease) and (issu\$4 or assig\$4) and renew\$4 ) and ((list or table or database) with	DERWENT; IBM TDB	
		(host near3 (address or id or	TBH-IDB	
		identifier)))) and ((issu\$4 or assign\$4)		
		near3 (address or id or identifier)) and		
		(renew\$4 near3 (address or id or		
	_	identifier))	IICDAM.	2004/07/24 16:08
-	1	<pre>(((((DHCP and ((host or IP) near3 (address or id or identifier))) and authentic\$4)</pre>	USPAT; EPO; JPO;	2004/0//24 16:08
		and Lease) and issu\$4 and renew\$4 ) and	DERWENT;	
		((list or table or database) with ((host	IBM_TDB	
		or IP) near3 (address or id or	_	
		identifier)))) and ((issu\$4 or assign\$4)		
		near3 (address or id or identifier)) and (renew\$4 near3 (address or id or		
		identifier))		
L	1		·	1

-	1	(((((DHCP and ((host or IP) near3 (address	USPAT;	2004/07/24 16:08
		or id or identifier))) and authentic\$4)	EPO; JPO;	
		and Lease) and issu\$4 and renew\$4 ) and	DERWENT;	
		((list or table or database) with ((host	IBM_TDB	
		or IP) near3 (address or id or		
		identifier)))) and ((issu\$4 or allocat\$5		
		or assign\$4) near3 (address or id or identifier)) and (renew\$4 near3 (address		
		or id or identifier))		
	63	(address or ID or identifier) with	USPAT;	2004/07/27 13:54
_	0.5	(allocation) with pool	EPO; JPO;	
		(difformation, with poor	DERWENT;	
			IBM TDB	
	209	(address or ID or identifier) with	USPAT;	2004/07/27 13:54
		(allocat\$4) with pool	EPO; JPO;	
			DERWENT;	ı
			IBM_TDB	0001/05/05 10 55
_	126	((address or ID or identifier) with	USPAT;	2004/07/27 13:55
		(allocat\$4) with pool) and (host or IP)	EPO; JPO;	
			DERWENT;	
	25	(/-dd TD identifical with	IBM_TDB USPAT;	2004/07/27 13:57
_	97	((address or ID or identifier) with (allocat\$4) with pool) and ((address or ID	EPO; JPO;	2004/01/21 13:31
		or identifier) with (host or IP))	DERWENT;	
		OI IMENCITIES, WICH (HOSE OF IS)	IBM TDB	
_	0	(((address or ID or identifier) with	USPAT;	2004/07/27 13:57
		(allocat\$4) with pool) and ((address or ID	EPO; JPO;	
		or identifier) with (host or IP))) and	DERWENT;	
		((address or ID or identifier) with	IBM_TDB	
		(issu\$4 or assign\$4 or allocating) with		
		(renew\$4 or refresh\$4))		
_	1459	((address or ID or identifier) same	USPAT;	2004/07/27 13:57
		(issu\$4 or assign\$4 or allocating) same	EPO; JPO;	
		(renew\$4 or refresh\$4))	DERWENT;	
	055	/// lland on TD and dentifican) come	IBM_TDB USPAT;	2004/07/27 13:58
-	255	(((address or ID or identifier) same (issu\$4 or assign\$4 or allocating) same	EPO; JPO;	2004/07/27 13.30
		(renew\$4 or refresh\$4))) and ((address or	DERWENT;	
		ID or identifier) with (host or IP))	IBM TDB	
_	241	(((address or ID or identifier) same	USPAT;	2004/07/27 14:06
		(issu\$4 or assign\$4 or allocating) same	EPO; JPO;	
		(renew\$4 or refresh\$4))) and ((address or	DERWENT;	
		ID or identifier) with (host or MAC))	IBM_TDB	
_	143	(((Media near Access near Control) or	USPAT;	2004/07/27 14:08
		(MAC)) near4 (address or ID or	EPO; JPO;	
		identifier)) with (Authoriz\$4 or	DERWENT;	
		authenticat\$4)	IBM_TDB USPAT;	2004/07/31 11:43
-	7	((((Media near Access near Control) or (MAC)) near4 (address or ID or	EPO; JPO;	2004/07/31 11.4
		identifier)) with (Authoriz\$4 or	DERWENT;	
		authenticat\$4)) and (proxy near5 (address	IBM TDB	
		or ID or identifier))		
_	21	(DHCP or (dynamic near host near	USPAT;	2004/07/31 15:20
		configuration near protocol)) near3 proxy	EPO; JPO;	
		near3 (address or ID or identifier or	DERWENT;	
		identification or identity)	IBM_TDB	
_	21		USPAT;	2004/07/31 09:50
		configuration near protocol)) near3 proxy	EPO; JPO;	
	1	near3 (address or ID or identifier or	DERWENT;	
		identification or identity)) with giaddr	IBM_TDB	2004/07/21 00:51
_	21		USPAT; EPO; JPO;	2004/07/31 09:55
		configuration near protocol)) near3 proxy near3 (address or ID or identifier or	DERWENT;	
		near3 (address or 1D or identifier of   identification or identity)) near3 giaddr	IBM TDB	
_	0		USPAT;	2004/07/31 09:55
_		configuration near protocol)) near3 proxy	EPO; JPO;	2301/01/31 03.3.
		near3 (address or ID or identifier or	DERWENT;	
		identification or identity)) near3 giaddr)	IBM TDB	
		and (option near3 "82")		
	I compared to the second secon	A		

<u> </u>	1	(DHCP or (dynamic near host near	USPAT;	2004/07/31 15:30
		configuration near protocol)) and (option	EPO; JPO;	
		near3 "82")	DERWENT;	
			IBM TDB	
_	1	(DHCP or (dynamic near host near	USPAT;	2004/07/31 10:04
	-	configuration near protocol)) and (relay	EPO; JPO;	
		near agent near information near option)	DERWENT;	
		near agent near information near operation	IBM TDB	
	0	(DHCP or (dynamic near host near	USPAT;	2004/07/31 10:06
_	U	configuration near protocol)) and (relay	EPO; JPO;	
		near agent near option)	DERWENT;	
		Near agent near option/	IBM TDB	
	0	(DHCP or (dynamic near host near	USPAT;	2004/07/31 10:07
_	0	configuration near protocol)) and (index\$3	EPO; JPO;	2004/07/31 10:07
			DERWENT;	
		near2 host near3 (address or ID or	IBM TDB	
	_	identifier or identification or identity))		2004/07/31 10:08
_	0		USPAT;	2004/07/31 10:08
	[ [	configuration near protocol)) and (index\$3	EPO; JPO;	
		near3 host near3 (address or ID or	DERWENT;	
		identifier or identification or identity))	IBM_TDB	0004/07/21 10 00
-	19		USPAT;	2004/07/31 10:08
		configuration near protocol)) and (index\$3	EPO; JPO;	
		near3 IP near3 (address or ID or	DERWENT;	
		identifier or identification or identity))	IBM_TDB	
	1	6189102.pn. and giaddr	USPAT;	2004/07/31 13:10
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	2	6189102.pn. and (internal near2 table)	USPAT;	2004/07/31 15:58
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	1	6189102.pn. and (issu\$4 or allocat\$4 or	USPĀT;	2004/07/31 14:05
		renew\$4)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	2	(DHCP or (dynamic near host near	USPAT;	2004/07/31 15:22
		configuration near protocol)) with	EPO; JPO;	
		(account\$4 near3 (data or information))	DERWENT;	
1		/accounty industry	IBM TDB	
_	1	relay near2 agent near2 information near2	USPAT;	2004/07/31 15:30
	1	option	EPO; JPO;	
		operon.	DERWENT;	
	A.1		IBM TDB	
<u></u>	178	option near3 "82"	USPAT;	2004/07/31 15:31
	1 / 8	Operon nears oz	EPO; JPO;	2001/01/01 10.01
1			DERWENT;	
1	[		IBM TDB	
	_	6100102 pp and specific	USPAT;	2004/07/31 15:58
-	0	6189102.pn. and spoof\$4	EPO; JPO;	2004/07/31 13:38
	11		DERWENT;	
			IBM_TDB	2004/07/24 45 52
_	0	(option near3 "82") and spoof\$4	USPAT;	2004/07/31 15:58
			EPO; JPO;	
			DERWENT;	
i	1		IBM TDB	1